ELSEVIER

Hearing Research 98 (1996) 188–189

HEARING RESEARCH

# Contents of Volume 98

**Research Papers**

P.S. Guth and C.H. Norris *(USA)*
The hair cell acetylcholine receptors: a synthesis 1

C. Chen, C. LeBlanc and R.P. Bobbin *(USA)*
Differences in cholinergic responses from outer hair cells of rat and guinea pig 9

J.-M. Huang, M.K. Money, C.I. Berlin and B.J.B. Keats *(USA)*
Phenotypic patterns of distortion product otoacoustic emission in inbred and $F_1$ hybrid hearing mouse strains 18

G.R. Long, P. Van Dijk and H.P. Wit *(USA, The Netherlands)*
Temperature dependence of spontaneous otoacoustic emissions in the edible frog (*Rana esculenta*) 22

H. Hiel, H.K. Happe, W.B. Warr and B.J. Morley *(USA)*
Regional distribution of a creatine transporter in rat auditory brainstem: an in-situ hybridization study 29

C. Abdala, Y.S. Sininger, M. Ekelid and F.-G. Zeng *(USA)*
Distortion product otoacoustic emission suppression tuning curves in human adults and neonates 38

P.T. Michie, E.L. LePage, N. Solowij, M. Haller and L. Terry *(Australia)*
Evoked otoacoustic emissions and auditory selective attention 54

R.A. Skellett, J.R. Crist, M. Fallon and R.P. Bobbin *(USA)*
Chronic low-level noise exposure alters distortion product otoacoustic emissions 68

B.E. Pfingst, L.A. Holloway and S.A. Razzaque *(USA)*
Effects of pulse separation on detection thresholds for electrical stimulation of the human cochlea 77

C.M. Henley, R.A. Weatherly, G.K. Martin and B. Lonsbury-Martin *(USA)*
Sensitive developmental periods for kanamycin ototoxic effects on distortion-product otoacoustic emissions 93

G. Frank and M. Kössl *(Germany)*
The acoustic two-tone distortions 2f1-f2 and f2-f1 and their possible relation to changes in the operating point of the cochlear amplifier 104

W.J. Clerici, K. Hensley, D.L. DiMartino and D.A. Butterfield *(USA)*
Direct detection of ototoxicant-induced reactive oxygen species generation in cochlear explants 116

V. Lichtenstein and D.R. Stapells *(USA, Canada)*
Frequency-specific identification of hearing loss using transient-evoked otoacoustic emissions to clicks and tones 125

C. Felsheim and J. Ostwald *(Germany)*
Responses to exponential frequency modulations in the rat inferior colliculus 137

L. Chen, P.G. Trautwein, M. Shero and R.J. Salvi *(USA)*
Tuning, spontaneous activity and tonotopic map in chicken cochlear ganglion neurons following sound-induced hair cell loss and regeneration 152

H.P. Wit, P. Van Dijk and H.M. Segenhout *(The Netherlands)*
Frequency response for electromotility of isolated outer hair cells of the guinea pig 165

H.J. Waller, D.A. Godfrey and K. Chen *(USA)*
Effects of parallel fiber stimulation on neurons of rat dorsal cochlear nucleus 169

ELSEVIER

Hearing Research 98 (1996) 188–189

HEARING RESEARCH

# Contents of Volume 98

**Research Papers**

P.S. Guth and C.H. Norris *(USA)*
The hair cell acetylcholine receptors: a synthesis 1

C. Chen, C. LeBlanc and R.P. Bobbin *(USA)*
Differences in cholinergic responses from outer hair cells of rat and guinea pig 9

J.-M. Huang, M.K. Money, C.I. Berlin and B.J.B. Keats *(USA)*
Phenotypic patterns of distortion product otoacoustic emission in inbred and $F_1$ hybrid hearing mouse strains 18

G.R. Long, P. Van Dijk and H.P. Wit *(USA, The Netherlands)*
Temperature dependence of spontaneous otoacoustic emissions in the edible frog (*Rana esculenta*) 22

H. Hiel, H.K. Happe, W.B. Warr and B.J. Morley *(USA)*
Regional distribution of a creatine transporter in rat auditory brainstem: an in-situ hybridization study 29

C. Abdala, Y.S. Sininger, M. Ekelid and F.-G. Zeng *(USA)*
Distortion product otoacoustic emission suppression tuning curves in human adults and neonates 38

P.T. Michie, E.L. LePage, N. Solowij, M. Haller and L. Terry *(Australia)*
Evoked otoacoustic emissions and auditory selective attention 54

R.A. Skellett, J.R. Crist, M. Fallon and R.P. Bobbin *(USA)*
Chronic low-level noise exposure alters distortion product otoacoustic emissions 68

B.E. Pfingst, L.A. Holloway and S.A. Razzaque *(USA)*
Effects of pulse separation on detection thresholds for electrical stimulation of the human cochlea 77

C.M. Henley, R.A. Weatherly, G.K. Martin and B. Lonsbury-Martin *(USA)*
Sensitive developmental periods for kanamycin ototoxic effects on distortion-product otoacoustic emissions 93

G. Frank and M. Kössl *(Germany)*
The acoustic two-tone distortions 2f1-f2 and f2-f1 and their possible relation to changes in the operating point of the cochlear amplifier 104

W.J. Clerici, K. Hensley, D.L. DiMartino and D.A. Butterfield *(USA)*
Direct detection of ototoxicant-induced reactive oxygen species generation in cochlear explants 116

V. Lichtenstein and D.R. Stapells *(USA, Canada)*
Frequency-specific identification of hearing loss using transient-evoked otoacoustic emissions to clicks and tones 125

C. Felsheim and J. Ostwald *(Germany)*
Responses to exponential frequency modulations in the rat inferior colliculus 137

L. Chen, P.G. Trautwein, M. Shero and R.J. Salvi *(USA)*
Tuning, spontaneous activity and tonotopic map in chicken cochlear ganglion neurons following sound-induced hair cell loss and regeneration 152

H.P. Wit, P. Van Dijk and H.M. Segenhout *(The Netherlands)*
Frequency response for electromotility of isolated outer hair cells of the guinea pig 165

H.J. Waller, D.A. Godfrey and K. Chen *(USA)*
Effects of parallel fiber stimulation on neurons of rat dorsal cochlear nucleus 169

**Corrigendum**

K. Mizuta, K.H. Iwasa, M. Tachibana, D.J. Benos and D.J. Lim *(USA)*
Amiloride-sensitive $Na^+$ channel-like immunoreactivity in the luminal membrane of some non-sensory epithelia of the inner ear (Hear. Res. 88 (1995) 199–205) 180

**Calendar of Events** 181

**Author Index** 183

**Subject Index** 185

**Contents of Volume 98** 188